

[Home](#) > [Tractors](#) > [6 Family Mid Tractors](#) > [6095B](#)



6095B

- John Deere Tech 4.5l PTM engine
- Cab & OOS
- Up to 24/12 Hi-Lo Transmission
- 2310mm long wheelbase

[Locate a Dealer](#)

[View Product Brochure](#) >

Specifications

ENGINE

Rated Engine Power, hp (kW)	95 (70)
Max Engine Power, hp (kW)	96 (71)
Constant Power Range [rpm]	2000 -2200
Type	John Deere PTM
Cylinder / Displacement [l]	4 / 4,5
Aspiration	Turbocharged / Intercooled
Engine Air Filter	Std Air Filter
Fuel Tank (L)	160

TRANSMISSION

12X4 DC TSS 30K (OOS)	Optional
12X4 WC TSS 40K (CAB)	Optional
12X12 WC TSS 30K PR with 6.6L (4120-300)	Optional
24X12 WC TSS 40K HLPR (4120-300)	Standard

HYDRAULIC SYSTEM

Type	Open-Center with optional Pressure Compensated Flow Control
Rear Selective Control Valves	3 SCV (CAB), 2 or 3 SCV (OOS)
Flow @ Rated Engine Speed [L/min]	50/60/76

Hitch / PTO

Rear Hitch Category	2 / Ball or Hook Type
Rear Hitch Max Lift Capacity	4060

OPTIONAL EQUIPMENT

Rear PTO with Mechanical

Standard (OOS)

Rear PTO with Electrical

Standard (CAB), Optional (OOS)

Rear PTO Shaft Type

Front Hitch / PTO

Drawbar

Wagon Hitch

Standard (OOS)

Standard (CAB), Optional (OOS)

6-Spline 540 rpm / 21-Spline 1.000 rpm (Reversible Stub Shaft)

Optional via LAFORGE

Cat. II with Hammer Strap / 1,900 kg vertical load

Cat. II with 31 mm Pin / 1,900 kg Vertical Load (Field Installed Kit)

PRECISION AG

Connectivity & AutoTrac

Optional

JDLink Capable / JDLink M Modem & Field Installed Kit ATU

DIMENSIONS AND WEIGHTS

Wheelbase [mm]

2310

Length x Height [mm]

(OOS)

4655 x 2915

Length x Height [mm] (CAB)*

4655 x 2690

Ground Clearance [mm] -

(Front) (Rear)

407

Shipping Weight [kg] (OOS)

4020

Shipping Weight [kg] (CAB)

4170

TIRE SIZE

Front Tires

320/85 R24

Rear Tires

420/85 R34

Show Less

Shop and Buy

Contact a Dealer

Maintenance and Support

Parts

Manuals and Training

+ Products & Support

+ Company Information

+ Publications

+ Connect with John Deere

Asia

[Site Map](#) [Privacy and Data](#) [Cookie Statement](#) [Terms of Use](#) [Contact Us](#)

[Cookie Preferences](#)

Copyright © 2025 Deere & Company. All Rights Reserved.