




[Home](#) > [Products & Solutions](#) > [Series products](#)



Motor Grader

## G9220F

 Overall Working Weight(kg)

 Rated power(kW)

Field of application:



Utilities



Heavy infrastructure

[Request a Quote](#)

[Features](#)

[Technical Parameter](#)

[Gallery](#)

[Technology Support](#)

## Features

G9220F grader features excellent performance, fashionable design, flexible and accurate movement suitable for constructing subgrade and pavement, building slope and ditching, and also is good at melting snow, pushing loose material and carrying out maintenance work on dirt road and gravel road.

## Technical Parameter

Overall Working Weight(kg)	16500
Rated power(kW)	165
Max. tractive force(kN)	87
Overall dimension (L×W×H) (mm)	9235x2710x3240
Max. inclination angle of front wheel(°)	18
Swing angle of front axle(°)	16

[Home](#)[Products & Solutions](#)[Parts & Services](#)[News & Events](#)

Min. turning radius(m)	7.6
Cutting depth of blade(mm)	787
Max. speed(km/h)	39
Engine model	BF6M1013EP / SDLG Engine (Thailand Market Only)
Emission standard	China Phase II
Fuel tank capacity(L)	270

## Gallery

### Images



## Technology Support

[Construction Cases](#)[Dealers Network](#)[Tech](#)



## Inquiry

We appreciate your detailed requirement information. Our sales representative will reach out to you at the earliest convenience.

☐ I agree that my contact form data will be collected and used to respond to my inquiry.



### Product & Solutions

[Wheel loader](#)  
[Excavator](#)  
[Motor Grader](#)  
[Backhoe loader](#)  
[Road Roller](#)  
[Skid loader](#)  
[Electric products](#)  
[Solutions](#)

### Parts & Services

[Service Introduction](#)  
[Spare Parts](#)  
[Digitalization](#)  
[Service Support](#)  
[Network](#)

### News & Events

[SDLG News](#)  
[Events & Campaigns](#)  
[Customer Stories](#)

### About SDLG

[Company profile](#)  
[History & Honor](#)  
[Social Responsibility](#)  
[SDLG Impression](#)  
[Career](#)

Follow us [Privacy Policy](#)

